


PhET Concentration Lab

Name: _____ Pd: _____

Adapted from the University of Colorado.

Website: https://phet.colorado.edu/sims/html/concentration/latest/concentration_en.html



Familiarize yourself with the various functions of the simulation by clicking and moving the various parts.

PART 1 - EFFECT OF CHANGING THE AMOUNT OF SOLUTE AND SOLVENT

1. Click RESET
2. Move the Concentration Probe into the liquid.
3. **Shake some Drink mix** into the water. Continue to add solute until the concentration reading is between 4 & 5.
 - a. What happened to the concentration as more solute is added? _____
 - b. What units of concentration are used for the concentration reading on the concentration probe? _____
 - c. What happens to the color of the solution as more solute is added? _____
 - d. What is the relationship between concentration and color? _____
4. Now **add more water** with the valve on the upper left.
 - a. What happens to the concentration as the quantity of water increases? _____
 - b. Explain why. (Mention what is happening to the quantity of solvent and solute)
5. Now **Remove some solution** with the valve on the lower right.
 - a. What happens to the concentration as the quantity of water decreases? _____
 - b. Explain why. (Mention what is happening to the quantity of solvent and solute)
6. Now **Remove water with the Evaporation Slider Bar** on the bottom.
 - a. What happens to the concentration as the quantity of water decreases? _____
 - b. Explain why. (Mention what is happening to the quantity of solvent and solute)

PART 2 - SATURATION

1. Click RESET.
2. Switch to a different Compound by selecting the Drop Down Menu called SOLUTE. Select CuSO_4 (If you don't know what this is, look it up).
3. **Shake to add CuSO_4** until a saturated solution is created.
 - a. How do you know when a saturated solution is created?
 - b. Move the Concentration Probe into the liquid. What is the concentration? (Include Units) _____
 - c. Add more solute. What happens to the concentration? (Explain why)

PART 3 - CONTROLLING THE CONCENTRATION

1. Click RESET.
2. **Select CuSO_4** from the Drop Down Menu called SOLUTE.
3. **Shake to add** enough to create a 0.5 Molar Solution in the $\frac{1}{2}$ liter of water originally in the beaker.
4. **Calculate the number of moles of CuSO_4** in the beaker using the equation for molarity. Show your work below.
5. **Calculate the mass in grams of CuSO_4** that was added to the beaker to achieve a 0.5 Molar solution.
6. **Predict** the concentration if the solution is diluted to a volume of 1 liter. Show the calculation of this concentration, include units in all your work.
 - a. **After you make the calculation:** Add water until there is 1 L of water in the beaker.
 - b. What is the concentration? _____ Does this match your calculation? *Yes or No*
7. **Predict** the concentration if the solution is now concentrated (by using evaporation) to a volume of .75 liters ($\frac{1}{2}$ way between .5 liters and 1 liter). Show the calculation of this concentration, include units in all your work.
 - a. **After you make the calculation:** Evaporate water with Evaporation Slider Bar until there is 0.75 L of solution in the beaker.
 - b. What is the concentration? _____ Does this match your calculation? *Yes or No*
8. Using the **current concentration & volume, calculate** the number of moles of solute in the solution. Show your calculation with units.
 - a. Calculate the mass in grams of solute for the current concentration and volume.
 - b. How does the # moles of solute and mass of solute compare to the # of moles and mass of solute calculated in question 4 and 5. **Explain why these numbers compare as they do.**

9. **Predict the concentration & # of moles of solute** if water is added until the volume is 1 liter.
- a. **Fill the beaker** to a volume of 1 liter and check the concentration. What is the concentration? _____
10. **Open the Remove Water Valve** (on the lower right) until there is 0.5 L of solution in the beaker.
- a. What happened to the concentration when $\frac{1}{2}$ of the solution was allowed to run out? (Explain why in terms of the amount of solute and solvent)
- b. Using the **current concentration & volume, calculate** the number of moles of solute in the solution. Show your calculation with units.
- c. How does the # moles of solute compare to the # of moles of solute calculated in question 4. **Explain why these numbers compare as they do.**
11. **Predict** the concentration if the solution is diluted to a volume of 1 liter. Show the calculation of this concentration, include units in all your work.
- a. **After you make the calculation:** Add water with the valve until there is 1 L of water in the beaker .
- b. **What is the concentration?** _____ Does this match your calculation? *Yes* or *No*

SUMMARY OF LEARNING OBJECTIVES – CIRCLE THE WORD OR PHRASE THAT BEST FITS THE STATEMENT.

1. Adding solute (solid) to an unsaturated solution causes the concentration of the solution to:
INCREASE /DECREASE/ REMAIN UNCHANGED
2. Adding pure water to a saturated solution will cause the concentration of the solution to:
INCREASE /DECREASE/ REMAIN UNCHANGED
3. Adding a solid salt to a saturated solution causes the concentration of the solution to:
INCREASE /DECREASE/ REMAIN UNCHANGED
4. Evaporation acting on an unsaturated solution causes the concentration of the solution to:
INCREASE /DECREASE/ REMAIN UNCHANGED
5. Evaporation acting on a saturated solution causes the concentration of the solution to:
INCREASE /DECREASE/ REMAIN UNCHANGED.